



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
US OSHA HCS 2024 and Canada Hazardous Products Act (HPA) and
Hazardous Products Regulation (HPR), as amended

Issuing Date 12-Apr-2024 Revision date 20-Feb-2025 Revision Number 2

1. Identification

Product identifier

Product Name Motorcycle Octane Boost

Other means of identification

Product Code(s) MOB
UN number or ID number UN3082
Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use Gasoline additive
Restrictions on use Avoid formation of mists

Details of the supplier of the safety data sheet

Supplier Address AMSOIL INC. Bay Adelaide Centre, East Tower 22 Adelaide St. W Toronto, ON, Canada M5H 4E3 T: +1 877-822-5172	Manufacturer Address AMSOIL INC. One AMSOIL Center Superior, WI 54880, USA T: +1 715-392-7101
E-mail	compliance@amsoil.com

Emergency telephone number

Emergency telephone CHEMTREC: Within USA and Canada: 1-800-424-9300
Outside the USA and Canada: +1 703-741-5970
(collect calls accepted) 24/7

2. Hazard(s) identification

Classification of the substance or mixture

Flammable liquids	Category 4
Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Vapors)	Category 3
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Carcinogenicity	Category 2
Specific target organ toxicity (single exposure)	Category 3
Aspiration hazard	Category 1

Label elements

Danger

Hazard statements

Combustible liquid.
Harmful if swallowed.
Toxic if inhaled.
Causes skin irritation.
Causes serious eye irritation.
Suspected of causing cancer.
May cause respiratory irritation.
May be fatal if swallowed and enters airways.

**Precautionary Statements - Prevention**

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Wear protective gloves, protective clothing, eye protection and face protection.
Wash face, hands and any exposed skin thoroughly after handling.
Do not eat, drink or smoke when using this product.
Avoid breathing dust, fume, gas, mist, vapors and spray.
Use only outdoors or in a well-ventilated area.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Precautionary Statements - Response

Specific treatment is urgent (see supplemental first aid instructions on this label).
IF exposed or concerned: Get medical advice/attention.

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice and attention.

Skin

IF ON SKIN: Wash with plenty of water and soap.
If skin irritation occurs: Get medical advice and attention.
Take off contaminated clothing and wash it before reuse.

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Call a POISON CENTER or doctor.

Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor.
Rinse mouth.
Do NOT induce vomiting.

Fire

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Precautionary Statements - Storage

Store locked up.
Store in a well-ventilated place. Keep container tightly closed.

Precautionary Statements - Disposal

Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable.

Unknown acute toxicity

97.817 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
99.057 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

Hazards classified under paragraph (d)(1)(ii) of 1910.1200

No information available.

Other information
May be harmful in contact with skin. Toxic to aquatic life with long lasting effects.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No.	Weight-%
Petroleum distillates	68476-34-6	80-100
Petroleum distillates	64742-94-5	0.5-1.5
Manganese, Tricarbonyl methylcyclopentadienyl	12108-13-3	0.5-1.5
Petroleum distillates	64742-47-8	0.1-1
Naphthalene	91-20-3	< 0.1

*The exact percentage (concentration) of composition has been withheld as a trade secret.

Chemical Additions
The classification as a carcinogen does not apply as it can be shown that the substance(s) contain(s) less than 3% DMSO extract as measured by IP 346.

4. First-aid measures

Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention. Immediate medical attention is required.
Inhalation	Remove to fresh air. Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention if irritation develops and persists.
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Get immediate medical attention.
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Do not breathe vapor or mist. See section 8 for more



information.

Most important symptoms and effects, both acute and delayed

Symptoms	Difficulty in breathing. Coughing and/ or wheezing. Dizziness. May cause redness and tearing of the eyes. Burning sensation. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.
Effects of Exposure	No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians	Because of the danger of aspiration, emesis or gastric lavage should not be employed unless the risk is justified by the presence of additional toxic substances.
--------------------	---

5. Fire-fighting measures

Suitable Extinguishing Media	Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire.
Specific hazards arising from the chemical	Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray.
Hazardous combustion products	Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).
Explosion data	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	Yes.
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Take precautionary measures against static discharges. Do not touch or walk through spilled material. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Do not breathe vapor or mist. Keep people away from and upwind of spill/leak.
Other information	Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.

Methods and material for containment and cleaning up

Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. Dike far ahead of liquid spill for later disposal.
Methods for cleaning up	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.
Reference to other sections	For additional information see: Section 8: Exposure controls/personal protection; Section 12: Ecological information; Section 13: Disposal considerations.

7. Handling and storage



Precautions for safe handling

Advice on safe handling Use personal protection equipment. Do not breathe vapor or mist. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Keep out of the reach of children. Store locked up. Store away from other materials.

8. Exposure controls/personal protection

Working area parameters, subject to mandatory control (MAC or TSEL)

Exposure Limits Under conditions which may generate mists, the following exposure limits are recommended: Long-term exposure limit (8-hour TWA): 5 mg/m³. Short-term exposure limit (15-minute): 10 mg/m³. The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	
Petroleum distillates 68476-34-6	TWA: 100 mg/m³ total Hydrocarbons inhalable fraction and vapor pSk	-	-	
Manganese, Tricarbonyl methylcyclopentadienyl 12108-13-3	TWA: 0.2 mg/m³ Mn pSk	(vacated) TWA: 0.2 mg/m³ Mn Ceiling: 5 mg/m³ Mn (vacated) Ceiling: 5 mg/m³ Sdv	TWA: 0.2 mg/m³; Mn STEL: 3 mg/m³ Mn IDLH: 500 mg/m³ Mn	
Naphthalene 91-20-3	TWA: 10 ppm pSk	TWA: 10 ppm TWA: 50 mg/m³ (vacated) TWA: 10 ppm (vacated) TWA: 50 mg/m³ (vacated) STEL: 15 ppm (vacated) STEL: 75 mg/m³	TWA: 10 ppm; TWA: 50 mg/m³; STEL: 15 ppm STEL: 75 mg/m³ IDLH: 250 ppm	
Chemical name	Alberta	British Columbia	Ontario	Quebec
Petroleum distillates 68476-34-6	TWA: 100 mg/m³;	TWA: 100 mg/m³; inhalable; inhalable aerosol and vapour Sk	TWA: 100 mg/m³; inhalable fraction and vapor dSk	TWAEV: 100 mg/m³; inhalable fraction and vapour
Manganese, Tricarbonyl methylcyclopentadienyl 12108-13-3	TWA: 0.2 mg/m³; pSk	TWA: 0.2 mg/m³; Sk	TWA: 0.2 mg/m³; dSk	TWAEV: 0.2 mg/m³; Sd
Naphthalene 91-20-3	TWA: 10 ppm; TWA: 52 mg/m³; STEL: 15 ppm; STEL: 79 mg/m³; pSk	TWA: 10 ppm; Sk	TWA: 10 ppm; dSk	TWAEV: 10 ppm; Sd



Chemical name	Manitoba	New Brunswick	Newfoundland and Labrador	Nova Scotia
Petroleum distillates	TWA: 100 mg/m ³ ; inhalable fraction and vapor pSk	TWA: 100 mg/m ³ ; inhalable fraction and vapor pSk	TWA: 100 mg/m ³ ; inhalable fraction and vapor pSk	TWA: 100 mg/m ³ ; inhalable fraction and vapor pSk
Manganese, Tricarbonyl methylcyclopentadienyl	TWA: 0.2 mg/m ³ ; pSk	TWA: 0.2 mg/m ³ ; pSk	TWA: 0.2 mg/m ³ ; pSk	TWA: 0.2 mg/m ³ ; pSk
Naphthalene	TWA: 10 ppm; pSk	TWA: 10 ppm; pSk	TWA: 10 ppm; pSk	TWA: 10 ppm; pSk

Chemical name	Nunavut	Prince Edward Island	Saskatchewan	Yukon
Petroleum distillates	TWA: 100 mg/m ³ ; vapour STEL: 150 mg/m ³ ; vapour Sk	TWA: 100 mg/m ³ ; inhalable fraction and vapor	TWA: 100 mg/m ³ ; vapour STEL: 150 mg/m ³ ; vapour pSd	
Manganese, Tricarbonyl methylcyclopentadienyl	TWA: 0.2 mg/m ³ ; STEL: 0.6 mg/m ³ ; Sk	TWA: 0.2 mg/m ³ ;	TWA: 0.2 mg/m ³ ; STEL: 0.6 mg/m ³ ; pSd	TWA: 0.1 ppm; TWA: 0.2 mg/m ³ ; STEL: 0.3 ppm; STEL: 0.6 mg/m ³ ; Sk
Naphthalene	TWA: 10 ppm; STEL: 15 ppm; Sk	TWA: 10 ppm;	TWA: 10 ppm; STEL: 15 ppm; pSd	TWA: 10 ppm; TWA: 50 mg/m ³ ; STEL: 15 ppm; STEL: 75 mg/m ³ ;

Note

See section 16 for terms and abbreviations.

Other information on limit values

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Chemical name	ACGIH
Naphthalene 91-20-3	- (1-Naphthol with hydrolysis plus 2-Naphthol with hydrolysis) - end of shift

Appropriate engineering controls

Engineering controls

Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

Eye/face protection

If there is a risk of contact: Tight sealing safety goggles.

Hand protection

If there is a risk of contact: Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Wear suitable gloves. Impervious gloves.

Skin and body protection

If there is a risk of contact: Wear suitable protective clothing. Long sleeved clothing.

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls

Avoid release to the environment. Local authorities should be advised if significant spillages cannot be contained.



General hygiene considerations

Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing. Do not breathe vapor or mist. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Physical stateLiquid

ColorClear / Red

Odor (includes odor threshold)Petroleum

Property	Values	Remarks • Method
Melting point / freezing point		No data available
Boiling point (or initial boiling point or boiling range)		No data available
Flammability		No data available
Flammability Limit in Air		
Upper flammability or explosive limits		No data available
Lower flammability or explosive limits		No data available
Flash point	> 61 °C / > 141.8 °F	CC (closed cup)
Autoignition temperature		No data available
Decomposition temperature		No data available
SADT (°C)		No data available
pH		No data available
pH (as aqueous solution)		No data available
Kinematic viscosity		No data available
Dynamic viscosity		No data available
Solubility		No data available
Water solubility	Insoluble in water	No data available
Partition coefficient n-octanol/water (log value)		No data available
Vapor pressure (includes evaporation rate)		No data available
Evaporation rate		No data available
Density and/or relative density	0.817 - 0.894	@21.1°C
Bulk density		No data available
Liquid Density		No data available
Relative vapor density		No data available
Particle characteristics		
Particle Size		No data available
Particle Size Distribution		No data available

Other information

Molecular weightNo information available

VOC contentNo information available

Softening pointNo information available

Information with regard to physical hazard classes

Explosives

Explosive propertiesNo information available

Oxidizing propertiesNo information available

10. Stability and reactivity



Reactivity	None under normal use conditions.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	Heat, flames and sparks. Excessive heat.
Incompatible materials	Strong acids. Strong bases. Strong oxidizing agents.
Hazardous decomposition products	Thermal decomposition can lead to release of irritating gases and vapors. Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause irritation of respiratory tract. Toxic by inhalation. (based on components).
Eye contact	Specific test data for the substance or mixture is not available. May cause irritation. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
Skin contact	Repeated exposure may cause skin dryness or cracking. Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).
Ingestion	Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. (based on components).

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Redness. May cause redness and tearing of the eyes. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.
----------	---

Acute toxicity	Toxic by inhalation. Harmful if swallowed.
----------------	--

Numerical measures of toxicity

The following ATE values have been calculated for the mixture:

ATEmix (dermal) 2,021.10 mg/kg

Unknown acute toxicity

- 97.817 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 99.057 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Petroleum distillates	-	> 2000 mg/kg (Rabbit)	= 3.6 mg/L (Rat) 4 h = 5.4 mg/L (Rat) 4 h
Petroleum distillates	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 590 mg/m³ (Rat) 4 h
Manganese, Tricarbonyl methylcyclopentadienyl	= 58 mg/kg (Rat)	= 140 mg/kg (Rabbit)	= 0.076 mg/L (Rat) 4 h
Petroleum distillates	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat) 4 h



Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Naphthalene	= 1110 mg/kg (Rat)	= 1120 mg/kg (Rabbit)	> 0.4 mg/L (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. Causes skin irritation.
Serious eye damage/eye irritation	Classification based on data available for ingredients. Causes serious eye irritation.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	Contains a known or suspected carcinogen. Classification based on data available for ingredients. Suspected of causing cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Petroleum distillates 68476-34-6	A3 A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans (listed under Diesel fuel)	Group 3	-	-
Naphthalene 91-20-3	A3 A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans	Group 2B	Reasonably Anticipated	X

Legend
ACGIH (American Conference of Governmental Industrial Hygienists)
A3 - Animal Carcinogen
IARC (International Agency for Research on Cancer)
Group 2B - Possibly Carcinogenic to Humans
Group 3 - Not Classifiable as to Carcinogenicity in Humans
NTP (National Toxicology Program)
Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen
Occupational Safety and Health Administration of the US Department of Labor
X - Present

Reproductive toxicity	No information available.
STOT - single exposure	May cause respiratory irritation.
STOT - repeated exposure	No information available.
Aspiration hazard	May be fatal if swallowed and enters airways.

12. Ecological information

Ecotoxicity Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Petroleum distillates 68476-34-6	-	LC50: =35mg/L (96h, Pimephales promelas)	-	-
Petroleum distillates	-	LC50: =19mg/L (96h,	-	EC50: =0.95mg/L (48h,



64742-94-5		Pimephales promelas) LC50: =2.34mg/L (96h, Oncorhynchus mykiss) LC50: =1740mg/L (96h, Lepomis macrochirus) LC50: =45mg/L (96h, Pimephales promelas) LC50: =41mg/L (96h, Pimephales promelas)		Daphnia magna)
Manganese, Tricarbonyl methylcyclopentadienyl 12108-13-3	-	LC50: =0.21mg/L (96h, Cyprinus carpio)	-	-
Petroleum distillates 64742-47-8	-	LC50: =45mg/L (96h, Pimephales promelas) LC50: =2.2mg/L (96h, Lepomis macrochirus) LC50: =2.4mg/L (96h, Oncorhynchus mykiss)	-	-
Naphthalene 91-20-3	-	LC50: 0.91 - 2.82mg/L (96h, Oncorhynchus mykiss)	-	EC50: 1.09 - 3.4mg/L (48h, Daphnia magna)

Persistence and degradability No information available.

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Petroleum distillates 64742-94-5	6.5
Manganese, Tricarbonyl methylcyclopentadienyl 12108-13-3	3.4
Naphthalene 91-20-3	3.4

Other adverse effects No information available.

13. Disposal considerations

Disposal methods

Waste from residues/unused products	Dispose of in accordance with local regulations, Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.
California waste information	This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. Transport information

DOT

UN number or ID number	UN3082
Proper shipping name	Environmentally hazardous substance, liquid, n.o.s.



Transport hazard class(es)	9
Packing group	III
Special Provisions	8, 146, 173, 335, 441, IB3, T4, TP1, TP29
DOT Marine Pollutant	M
Marine pollutant	Petroleum distillates, Manganese, Tricarbonyl methylcyclopentadienyl
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Petroleum distillates, Manganese, Tricarbonyl methylcyclopentadienyl), 9, III, Marine pollutant
Emergency Response Guide Number	171
TDG	
UN number or ID number	UN3082
Proper shipping name	Environmentally hazardous substance, liquid, n.o.s.
Transport hazard class(es)	9
Packing group	III
Special Provisions	16, 99
Marine pollutant	Petroleum distillates.
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s.(Petroleum distillates, Manganese, Tricarbonyl methylcyclopentadienyl), 9, III
IATA	
UN number or ID number	UN3082
UN proper shipping name	Environmentally hazardous substance, liquid, n.o.s.
IATA Technical Name	Petroleum distillates, Manganese, Tricarbonyl methylcyclopentadienyl
Transport hazard class(es)	9
Packing group	III
Environmental hazards	Yes
Special Provisions	A97, A158, A197, A215
ERG Code	9L
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Petroleum distillates, Manganese, Tricarbonyl methylcyclopentadienyl), 9, III
IMDG	
UN number or ID number	UN3082
UN proper shipping name	Environmentally hazardous substance, liquid, n.o.s.
Technical Name	Petroleum distillates, Manganese, Tricarbonyl methylcyclopentadienyl
Transport hazard class(es)	9
Packing group	III
Marine pollutant indicator	M
Marine pollutant name	Petroleum distillates, Manganese, Tricarbonyl methylcyclopentadienyl
Special Provisions	274, 335, 375, 969
EmS-No.	F-A S-F
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Petroleum distillates, Manganese, Tricarbonyl methylcyclopentadienyl), 9, III, Marine pollutant

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

Contact supplier for inventory compliance status



US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Naphthalene 91-20-3	100 lb	X	X	X

CAA (Clean Air Act)

This product contains the following substances which are regulated pollutants to the Clean Air Act (CAA).

Chemical name	Hazardous air pollutants (HAPs)	Ozone-depleting substances (ODS)
Manganese, Tricarbonyl methylcyclopentadienyl 12108-13-3	Present	-
Naphthalene 91-20-3	Present	-

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
Manganese, Tricarbonyl methylcyclopentadienyl 12108-13-3	-	100 lb	-
Naphthalene 91-20-3	100 lb	-	RQ 100 lb final RQ RQ 45.4 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical name	California Proposition 65
Naphthalene - 91-20-3	Carcinogen

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Manganese, Tricarbonyl methylcyclopentadienyl 12108-13-3	X	X	X
2-Ethylhexan-1-ol	-	X	X



104-76-7			
Naphthalene 91-20-3	X	X	X
Benzene, 1,2,4-trimethyl- 95-63-6	X	X	X
Benzene, 1,3,5-trimethyl- 108-67-8	-	X	-

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA	Health hazards	3	Flammability	2	Instability	0	Special hazards	-
HMIS	Health hazards	3 *	Flammability	2	Physical hazards	0	Personal protection	X
Chronic Hazard Star Legend		* = Chronic Health Hazard						

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend	
ACGIH	American Conference of Governmental Industrial Hygienists
ADN	Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Europe)
ADR	Agreement concerning the International Carriage of Dangerous Goods by Road (Europe)
AIIC	Australian Inventory of Industrial Chemicals
ATE	Acute Toxicity Estimate
ASTM	American Society for the Testing of Materials
bar	Biological Reference Values for Chemical Compounds in the Work Area
BAT	Biological tolerance values for occupational exposure
BEL	Biological exposure limits
bw	Body weight
Ceiling	Maximum limit value
CMR	Carcinogen, Mutagen or Reproductive Toxicant
DOT	Department of Transportation (United States)
DSL	Domestic Substances List (Canada)
EmS	Emergency Schedule
ENCS	Existing and New Chemical Substances (Japan)
EPA	Environmental Protection Agency
GHS	Globally Harmonized System
HMIS	Hazardous Materials Identification System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO	International Civil Aviation Organization
IECSC	Inventory of Existing Chemical Substances in China
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
ISO	International Organization for Standardization
KECI	Korean Existing Chemicals Inventory
LC50	Lethal Concentration to 50% of a test population
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
MARPOL	International Convention for the Prevention of Pollution from Ships
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety and Health
n.o.s.	Not Otherwise Specified



NOAEC	No Observed Adverse Effect Concentration
NOAEL	No Observed Adverse Effect Level
NOELR	No Observable Effect Loading Rate
NTP	National Toxicology Program (United States)
NZIoC	New Zealand Inventory of Chemicals
OECD	Organization for Economic Cooperation and Development
OEL	Occupational exposure limits
OSHA	Occupational Safety and Health Administration of the US Department of Labor
PBT	Persistent, Bioaccumulative and Toxic substance
PICCS	Philippines Inventory of Chemicals and Chemical Substances
PMT	Persistent, Mobile and Toxic
PPE	Personal protective equipment
QSAR	Quantitative Structure Activity Relationship
RID	Agreement concerning the International Carriage of Dangerous Goods by Rail (Europe)
SADT	Self-Accelerating Decomposition Temperature
SAR	Structure-activity relationship
SARA	Superfund Amendments and Reauthorization Act
SDS	Safety Data Sheet
SL	Surface Limit
STEL	Short Term Exposure Limit
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
TCSI	Taiwan Chemical Substance Inventory
TDG	Transport of Dangerous Goods (Canada)
TSCA	Toxic Substances Control Act (United States)
TWA	Time-Weighted Average
UN	United Nations
VOC	Volatile organic compounds
vPvB	Very Persistent and Very Bioaccumulative
vPvM	Very Persistent and Very Mobile
As	Allergenic substance
DS	Dermal Sensitizer
Ot	Ototoxicant
pOt	Ototoxicant - potential to cause hearing disorders
PS	Photosensitizer
RS	Respiratory Sensitizer
S	Sensitizer
poS	Sensitizer - capable of causing occupational asthma
Sa	Simple asphyxiant
Sd	Skin designation
pSd	Skin designation - potential for cutaneous absorption
Sdv	Skin designation - vacated
Sk	Skin notation
dSk	Skin notation - danger of cutaneous absorption
pSk	Skin notation - potential for cutaneous absorption

Key literature references and sources for data used to compile the SDS

U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
Environmental Protection Agency
Acute Exposure Guideline Level(s) (AEGL(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
Japan GHS Classification



Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
U.S. National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
Organization for Economic Co-operation and Development High Production Volume Chemicals Program
Organization for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Issuing Date	12-Apr-2024
Revision date	20-Feb-2025
Revision Note	Updated format.

Disclaimer
The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

